

Trade name: Gold Plating Bath JE253 Au/In - 3 g/L Au

Version: 1 / WORLD

Date revised: 05.05.2025

Substance number: 7257.0000

Replaces Version: - / WORLD

Print date: 27.05.2025

## **SECTION 1: Identification of the substance/mixture and of the company/undertaking**

### **1.1. Product identifier**

Gold Plating Bath JE253 Au/In - 3 g/L Au

### **1.2. Relevant identified uses of the substance or mixture and uses advised against**

#### **Use of the substance/preparation**

Galvanic Bath, do not use for private purposes, Food, beverages and animal feed.

#### **Identified Uses**

PC14

Metal surface treatment products, including galvanic and electroplating products

### **1.3. Details of the supplier of the safety data sheet**

#### **Address/Manufacturer**

Jentner Plating Technology GmbH

Johann-Staib-Straße 2

75179 Pforzheim

Telephone no. +49 (0)7231/4180940

Information provided by / telephone Laboratory department; Opening hours 8:00-16:00

E-mail address of person responsible sales@jentner.de

for this SDS

### **1.4. Emergency telephone number**

Poisoning Information Center Freiburg: +49(0)761/19240

## **SECTION 2: Hazards identification**

### **2.1. Classification of the substance or mixture**

#### **Classification (Regulation (EC) No. 1272/2008)**

Classification (Regulation (EC) No. 1272/2008)

Acute Tox. 4 H302

Acute Tox. 3 H311

Skin Irrit. 2 H315

Eye Irrit. 2 H319

Aquatic Chronic 3 H412

The product is classified and labelled in accordance with Regulation (EC) No 1272/2008

For explanation of abbreviations see section 16.

### **2.2. Label elements**

#### **Labelling according to regulation (EC) No 1272/2008**

##### **Hazard pictograms**



##### **Signal word**

Danger

##### **Hazard statements**

Trade name: Gold Plating Bath JE253 Au/In - 3 g/L Au

Version: 1 / WORLD

Date revised: 05.05.2025

Substance number: 7257.0000

Replaces Version: - / WORLD

Print date: 27.05.2025

H302	Harmful if swallowed.
H311	Toxic in contact with skin.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H412	Harmful to aquatic life with long lasting effects.

**Precautionary statements**

P264.1	Wash hands thoroughly after handling.
P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P312	Call a POISON CENTRE or doctor if you feel unwell.
P501.1	Dispose of contents/container to industrial incineration plant.

**Hazardous component(s) to be indicated on label (Regulation (EC) No. 1272/2008)**

contains	potassium-III-cyanid (57,8% Au)
EUH208 Contains	potassium-III-cyanid (57,8% Au), May produce an allergic reaction.

**2.3. Other hazards**

No special hazards have to be mentioned.

The product contains no PBT substances. The product contains no vPvB substances. This product does not contain a substance that has endocrine disrupting properties with respect to human. The product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms.

**SECTION 3: Composition/information on ingredients****Hazardous ingredients****Citric acid, monohydrate**

CAS No.	5949-29-1			
EINECS no.	201-069-1			
Registration no.	01-2119457026-42			
Concentration	>= 1	< 10	%	
Classification (Regulation (EC) No. 1272/2008)	Eye Irrit. 2	H319		
	STOT SE 3	H335		

**potassium hydroxide**

CAS No.	1310-58-3			
EINECS no.	215-181-3			
Registration no.	01-2119487136-33			
Concentration	>= 0,5	< 1	%	
Classification (Regulation (EC) No. 1272/2008)	Acute Tox. 4	H302		
	Skin Corr. 1A	H314		
	Met. Corr. 1	H290		

Concentration limits (Regulation (EC) No. 1272/2008)

Eye Irrit. 2	H319	>= 0,5 < 2 %
Skin Corr. 1A	H314	>= 5 %
Skin Corr. 1B	H314	>= 2 < 5 %
Skin Irrit. 2	H315	>= 0,5 < 2 %

**potassium-III-cyanid (57,8% Au)**

CAS No.	14263-59-3			
EINECS no.	238-145-9			
Concentration	>= 0,5	< 1	%	

Trade name: Gold Plating Bath JE253 Au/In - 3 g/L Au

Version: 1 / WORLD

Date revised: 05.05.2025

Substance number: 7257.0000

Replaces Version: - / WORLD

Print date: 27.05.2025

## Classification (Regulation (EC) No. 1272/2008)

Acute Tox. 2	H300
Acute Tox. 2	H330
Acute Tox. 1	H310
STOT RE 2	H373
Eye Dam. 1	H318
Aquatic Acute 1	H400
Aquatic Chronic 1	H410
Skin Irrit. 2	H315
Skin Sens. 1	H317

ATE	oral	5	mg/kg
ATE	dermal	5	mg/kg
cATpE	inhalative, Dust/Mist	0,05	mg/l

**SECTION 4: First aid measures****4.1. Description of first aid measures****General information**

Remove contaminated, soaked clothing immediately and dispose of safely. Adhere to personal protective measures when giving first aid. Clean body thoroughly (bath, shower). In any case show the physician the Safety Data Sheet.

**After inhalation**

Ensure supply of fresh air. Remove affected person from danger area. Seek medical advice immediately.

**After skin contact**

Wash off immediately with soap and water. Seek medical advice immediately.

**After eye contact**

Separate eyelids, wash the eyes thoroughly with water (15 min.). Take medical treatment.

**After ingestion**

Call in a physician immediately and show him the Safety Data Sheet. Rinse mouth thoroughly with water. Let plenty of water be drunk in small gulps. Do not induce vomiting.

**Adhere to personal protective measures when giving first aid**

First aider: Pay attention to self-protection!

**4.2. Most important symptoms and effects, both acute and delayed**

Until now no symptoms known so far.

**4.3. Indication of any immediate medical attention and special treatment needed****Hints for the physician / hazards**

In the case of swallowing with subsequent vomiting, aspiration of the lungs can occur which can lead to chemical pneumonia or asphyxiation.

**SECTION 5: Firefighting measures****5.1. Extinguishing media****Suitable extinguishing media**

Dry powder

**Non suitable extinguishing media**

Full water jet

**5.2. Special hazards arising from the substance or mixture**

In case of combustion evolution of dangerous gases possible.

Trade name: Gold Plating Bath JE253 Au/In - 3 g/L Au

Version: 1 / WORLD

Date revised: 05.05.2025

Substance number: 7257.0000

Replaces Version: - / WORLD

Print date: 27.05.2025

### 5.3. Advice for firefighters

#### Special protective equipment for fire-fighting

Do not inhale explosion and/or combustion gases. In case of combustion use a suitable breathing apparatus. Wear full protective suit.

#### Other information

Collect contaminated fire-fighting water separately, must not be discharged into the drains. Fire residues and contaminated fire-fighting water must be disposed of in accordance with the local regulations. Observe manufacturer's / distributor's instructions.

## **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

Use breathing apparatus if exposed to vapours/dust/aerosol. Avoid contact with skin, eyes and clothing. Refer to protective measures listed in Sections 7 and 8.

### 6.2. Environmental precautions

Prevent spread over a wide area (e.g. by containment or oil barriers). Do not discharge into the drains/surface waters/groundwater. Do not discharge into the subsoil/soil. Retain and dispose of contaminated wash water. In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

### 6.3. Methods and material for containment and cleaning up

Pick up with absorbent material. Clean contaminated floors and objects thoroughly with water and detergents, observing environmental regulations. Containers in which spilt substance has been collected must be adequately labelled. Dispose of absorbed material in accordance with the regulations.

### 6.4. Reference to other sections

Refer to protective measures listed in Sections 7 and 8.

## **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

#### Advice on safe handling

Avoid formation of aerosols. Perform filling operations only at stations with exhaust ventilation facilities. Provide suitable exhaust ventilation at the processing machines. If workplace limits are exceeded, a respiratory protection approved for this particular job must be worn. Keep container tightly closed.

### 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Keep in original packaging, tightly closed. Storage rooms must be properly ventilated. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Provide solvent-resistant and impermeable floor.

#### Hints on storage assembly

Do not store together with foodstuffs.

#### Storage classes

Storage class according to TRGS 510

6.1D

Non-combustible substances of acute toxicity, category 3 / hazardous substances that are toxic or produce chronic effects

#### Further information on storage conditions

Keep under lock and key or accessible only to specialists or people who are authorized.

## **SECTION 8: Exposure controls/personal protection**

Trade name: Gold Plating Bath JE253 Au/In - 3 g/L Au

Version: 1 / WORLD

Date revised: 05.05.2025

Substance number: 7257.0000

Replaces Version: - / WORLD

Print date: 27.05.2025

**8.1. Control parameters****Other information**

Contains no substances with occupational exposure limit values.

**Derived No/Minimal Effect Levels (DNEL/DMEL)****potassium hydroxide**

Type of value

Derived No Effect Level (DNEL)

Reference group

Worker

Route of exposure

inhalative

Mode of action

Local effects

Concentration

= 1

mg/m<sup>3</sup>**8.2. Exposure controls****General protective and hygiene measures**

Hold emergency shower available. Hold eye wash fountain available. Do not inhale gases/vapours/aerosols. Avoid contact with skin and eyes. Do not eat, drink or smoke during work time. Storage of foodstuffs in work rooms is forbidden. Wash hands before breaks and after work. Clean skin thoroughly after work; apply skin cream.

**Respiratory protection**

If workplace limits are exceeded, a respiratory protection approved for this particular job must be worn.

**Hand protection**

Chemical resistant gloves

Appropriate Material neoprene

**Eye protection**

Safety glasses with side protection shield; Face shield

**Body protection**

Clothing as usual in the chemical industry. Protective shoes

**SECTION 9: Physical and chemical properties****9.1. Information on basic physical and chemical properties****Physical state**

liquid

**Colour**

colourless

**Odour**

odourless

**Melting point**

Remarks

not determined

**Freezing point**

Remarks

not determined

**Boiling point or initial boiling point and boiling range**

Remarks

not determined

**Flammability**

evaluation

not determined

**Upper and lower explosive limits**

Remarks

not determined

**Flash point**

Remarks

Not applicable

**Ignition temperature**

Remarks

not determined

Trade name: Gold Plating Bath JE253 Au/In - 3 g/L Au

Version: 1 / WORLD

Date revised: 05.05.2025

Substance number: 7257.0000

Replaces Version: - / WORLD

Print date: 27.05.2025

**Decomposition temperature**

Remarks not determined

**pH value**

Value = 2,6 to 3,2

**Viscosity**

Remarks not determined

**Solubility(ies)**

Remarks not determined

**Partition coefficient n-octanol/water (log value)**

Remarks not determined

**Vapour pressure**

Remarks not determined

**Density and/or relative density**Value = 1,060 to 1,070 g/ml  
Temperature 20 °C**Relative vapour density**

Remarks not determined

**9.2. Other information****Odour threshold**

Remarks not determined

**Evaporation rate (ether = 1) :**

Remarks not determined

**Solubility in water**

Remarks not determined

**Explosive properties**

evaluation not determined

**Oxidising properties**

Remarks not determined

**Other information**

None known

**SECTION 10: Stability and reactivity****10.1. Reactivity**

No hazardous reactions when stored and handled according to prescribed instructions.

**10.2. Chemical stability**

No hazardous reactions known.

**10.3. Possibility of hazardous reactions**

No hazardous reactions known.

**10.4. Conditions to avoid**

No hazardous reactions known.

**10.5. Incompatible materials**

None known

**10.6. Hazardous decomposition products**

Toxic gases/vapours, Irritant gases/vapours

Trade name: Gold Plating Bath JE253 Au/In - 3 g/L Au

Version: 1 / WORLD

Date revised: 05.05.2025

Substance number: 7257.0000

Replaces Version: - / WORLD

Print date: 27.05.2025

## **SECTION 11: Toxicological information**

### **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**

#### **Acute oral toxicity**

ATE	963,391	mg/kg
	1	
Method	calculated value (Regulation (EC) No. 1272/2008)	

#### **Acute oral toxicity (Components)**

##### **potassium hydroxide**

Species	rat	
LD50	333	mg/kg

##### **potassium-III-cyanid (57,8% Au)**

Species	rat	
LD50	= 5	mg/kg

#### **Acute dermal toxicity**

ATE	963,391	mg/kg
	1	
Method	calculated value (Regulation (EC) No. 1272/2008)	

#### **Acute dermal toxicity (Components)**

##### **potassium-III-cyanid (57,8% Au)**

Species	guinea pig	
LD50	= 5	mg/kg

#### **Acute inhalational toxicity**

ATE	9,6339	mg/l
Administration/Form	Dust/Mist	
Method	calculated value (Regulation (EC) No. 1272/2008)	
Remarks	Based on available data, the classification criteria are not met.	

#### **Acute inhalative toxicity (Components)**

##### **potassium-III-cyanid (57,8% Au)**

Species	rat	
LC50	= 0,05	mg/l
Duration of exposure	4	h

#### **Skin corrosion/irritation**

evaluation	irritant
Remarks	The classification criteria are met.

#### **Serious eye damage/irritation**

evaluation	irritant
Remarks	The classification criteria are met.

#### **Sensitization**

Remarks	Based on available data, the classification criteria are not met.
---------	---

#### **Subacute, subchronic, chronic toxicity**

Remarks	not determined
---------	----------------

#### **Mutagenicity**

Remarks	Based on available data, the classification criteria are not met.
---------	---

#### **Reproductive toxicity**

Remarks	Based on available data, the classification criteria are not met.
---------	---

#### **Carcinogenicity**

Remarks	Based on available data, the classification criteria are not met.
---------	---

Trade name: Gold Plating Bath JE253 Au/In - 3 g/L Au

Version: 1 / WORLD

Date revised: 05.05.2025

Substance number: 7257.0000

Replaces Version: - / WORLD

Print date: 27.05.2025

**Specific Target Organ Toxicity (STOT)****Single exposure**

Remarks Based on available data, the classification criteria are not met.

**Repeated exposure**

Remarks Based on available data, the classification criteria are not met.

**Aspiration hazard**

Based on available data, the classification criteria are not met.

**11.2 Information on other hazards****Endocrine disrupting properties with respect to humans**

The product does not contain a substance that has endocrine disrupting properties with respect to humans.

**Experience in practice**

Inhalation may lead to irritation of the respiratory tract.

**Other information**

No toxicological data are available.

**SECTION 12: Ecological information****12.1. Toxicity****General information**

not determined

**12.2. Persistence and degradability****General information**

not determined

**12.3. Bioaccumulative potential****General information**

not determined

**Partition coefficient n-octanol/water (log value)**

Remarks not determined

**12.4. Mobility in soil****General information**

not determined

**12.5. Results of PBT and vPvB assessment****General information**

not determined

**Results of PBT and vPvB assessment**

The product contains no PBT substances

The product contains no vPvB substances.

**12.6 Endocrine disrupting properties****Endocrine disrupting properties with respect to the environment**

The product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms.

**12.7. Other adverse effects****General information**



Trade name: Gold Plating Bath JE253 Au/In - 3 g/L Au

Version: 1 / WORLD

Date revised: 05.05.2025

Substance number: 7257.0000

Replaces Version: - / WORLD

Print date: 27.05.2025

not determined

**General information / ecology**

Do not allow to enter soil, waterways or waste water canal. Avoid release into the atmosphere.




**SECTION 13: Disposal considerations****13.1. Waste treatment methods****Disposal recommendations for the product**

Allocation of a waste code number, according to the European Waste Catalogue (EWC), should be carried out in agreement with the regional waste disposal company.

**Disposal recommendations for packaging**

Packaging that cannot be cleaned should be disposed off in agreement with the regional waste disposal company.

**SECTION 14: Transport information**

	Land transport ADR/RID	Marine transport IMDG/GGVSee	Air transport ICAO/IATA
<b>14.1. UN number or ID number</b>	1935	1935	1935
<b>14.2. UN proper shipping name</b>	CYANIDE SOLUTION, N.O.S. (potassium-III-cyanid (57,8% Au))	CYANIDE SOLUTION, N.O.S. (potassium-III-cyanid (57,8% Au))	CYANIDE SOLUTION, N.O.S. (potassium-III-cyanid (57,8% Au))
<b>14.3. Transport hazard class(es)</b>	6.1	6.1	6.1
Label			
<b>14.4. Packing group</b>	III	III	III
Limited Quantity	5 l	5 l	2 L
Transport category	2		
<b>14.5. Environmental hazards</b>	-		
Tunnel restriction code	E		

**SECTION 15: Regulatory information****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****Other information**

The product does not contain substances according to: Candidate List for inclusion in Annex XIV of Regulation (EC) No. 1907/2006 (REACH).

**15.2. Chemical safety assessment**

Trade name: Gold Plating Bath JE253 Au/In - 3 g/L Au

Version: 1 / WORLD

Date revised: 05.05.2025

Substance number: 7257.0000

Replaces Version: - / WORLD

Print date: 27.05.2025

For this preparation a chemical safety assessment has not been carried out.

## SECTION 16: Other information

### Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Classification (Regulation (EC) No. 1272/2008)

Acute Tox. 4	H302	Calculation method
Acute Tox. 3	H311	Calculation method
Skin Irrit. 2	H315	Calculation method
Eye Irrit. 2	H319	Calculation method
Aquatic Chronic 3	H412	Calculation method

### Hazard statements listed in Chapter 2/3

H290	May be corrosive to metals.
H300	Fatal if swallowed.
H302	Harmful if swallowed.
H310	Fatal in contact with skin.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H335	May cause respiratory irritation.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

### CLP categories listed in Chapter 2/3

Acute Tox. 1	Acute toxicity, Category 1
Acute Tox. 2	Acute toxicity, Category 2
Acute Tox. 3	Acute toxicity, Category 3
Acute Tox. 4	Acute toxicity, Category 4
Aquatic Acute 1	Hazardous to the aquatic environment, acute, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment, chronic, Category 1
Aquatic Chronic 3	Hazardous to the aquatic environment, chronic, Category 3
Eye Dam. 1	Serious eye damage, Category 1
Eye Irrit. 2	Eye irritation, Category 2
Met. Corr. 1	Substance or mixture corrosive to metals, Category 1
Skin Corr. 1A	Skin corrosion, Category 1A
Skin Irrit. 2	Skin irritation, Category 2
Skin Sens. 1	Skin sensitization, Category 1
STOT RE 2	Specific target organ toxicity - repeated exposure, Category 2
STOT SE 3	Specific target organ toxicity - single exposure, Category 3

### Supplemental information

Relevant changes compared with the previous version of the safety data sheet are marked with: \*\*\*  
This information is based on our present state of knowledge. However, it should not constitute a guarantee for any specific product properties and shall not establish a legally valid relationship.