

Black Ruthenium Bath JE12-1

Revision date: 29.08.2019

Product code: 9707.0000

Page 1 of 9

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1. Product identifier**

Black Ruthenium Bath JE12-1

1.2. Relevant identified uses of the substance or mixture and uses advised against**Use of the substance/mixture**

Plating agents and metal surface treating agents

1.3. Details of the supplier of the safety data sheet

Company name:	Jentner Plating Technology GmbH	
Street:	Johann-Staib-Strasse 2	
Place:	D-75179 Pforzheim	
Telephone:	+49 (0)7231 418094 0	Telefax: +49 (0)7231 418094 77
e-mail:	info@jentner.de	
Contact person:	Department of Chemistry	
Internet:	www.jentner.de	
Responsible Department:	Poison Information Center of the University of Freiburg.	

1.4. Emergency telephone number: 0049 (0)761 19240 - 24 h german and english

SECTION 2: Hazards identification**2.1. Classification of the substance or mixture****Regulation (EC) No. 1272/2008**

Hazard categories:

Substance or mixture corrosive to metals: Met. Corr. 1

Skin corrosion/irritation: Skin Corr. 1

Serious eye damage/eye irritation: Eye Dam. 1

Hazard Statements:

May be corrosive to metals.

Causes severe skin burns and eye damage.

Causes serious eye damage.

2.2. Label elements**Regulation (EC) No. 1272/2008****Hazard components for labelling**

sulphuric acid 96 %

AMMONIUM-NITRIDO-OCTACHLORODIAQUODIRUTHENATE(IV)

Signal word: Danger**Pictograms:****Hazard statements**

H290	May be corrosive to metals.
H314	Causes severe skin burns and eye damage.

Precautionary statements

P102	Keep out of reach of children.
P103	Read label before use.
P234	Keep only in original packaging.
P260	Do not breathe dust/fume/gas/mist/vapours/spray.

Black Ruthenium Bath JE12-1

Revision date: 29.08.2019

Product code: 9707.0000

Page 2 of 9

P280	Wear protective gloves/protective clothing/eye protection/face protection.
P301+P330+P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
P363	Wash contaminated clothing before reuse.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P310	Immediately call a POISON CENTER/doctor.
P321	Specific treatment (see 4.1 on this label).
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.
P390	Absorb spillage to prevent material damage.
P405	Store locked up.
P406	Store in a corrosion-resistant container with a resistant inner liner.
P501	Dispose of contents/container to an officially registered waste disposal company.

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	GHS Classification			
7664-93-9	sulphuric acid 96 %			max. 3 %
	231-639-5	016-020-00-8		
	Skin Corr. 1A; H314			
27316-90-1	AMMONIUM-NITRIDO-OCTACHLORODIAQUODIRUTHENATE(IV)			max. 1 %
	248-399-2			
	Skin Corr. 1B, Eye Irrit. 2; H314 H319			

Full text of H and EUH statements: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

First aider: Pay attention to self-protection! Remove affected person from the danger area and lay down.

Remove contaminated, saturated clothing immediately.

In case of accident or if you feel unwell, seek medical advice immediately (show this label if possible).

After inhalation

Provide fresh air.

After contact with skin

After contact with skin, wash immediately with polyethylene glycol, followed by plenty of water. Take off immediately all contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention. Remove mechanically (e.g. dab away using wadding or cellulose material) then thoroughly wash the affected skin with a mild cleansing agent and water.

After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. In case of contact with eyes, rinse immediately with plenty of water and

Black Ruthenium Bath JE12-1

Revision date: 29.08.2019

Product code: 9707.0000

Page 3 of 9

seek medical advice.

After ingestion

Observe risk of aspiration if vomiting occurs. Adverse human health effects and symptoms: Gastric perforation. Do not allow a neutralisation agent to be drunk. Rinse mouth immediately and drink plenty of water. Call a physician immediately. Do NOT induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures**5.1. Extinguishing media****Suitable extinguishing media**

Co-ordinate fire-fighting measures to the fire surroundings. Extinguishing powder. Water spray. Carbon dioxide (CO₂).

Unsuitable extinguishing media

Strong water jet

5.2. Special hazards arising from the substance or mixture

Non-flammable.

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit. Co-ordinate fire-fighting measures to the fire surroundings.

The product itself does not burn.

Additional information

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures**

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment. Wear personal protection equipment.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal. Take up mechanically, placing in appropriate containers for disposal.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage**7.1. Precautions for safe handling****Advice on safe handling**

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray. Handle and open container with care.

7.2. Conditions for safe storage, including any incompatibilities

Black Ruthenium Bath JE12-1

Revision date: 29.08.2019

Product code: 9707.0000

Page 4 of 9

Requirements for storage rooms and vessels

Keep container tightly closed. Keep locked up. Store in a place accessible by authorized persons only. Provide adequate ventilation as well as local exhaust at critical locations. Unsuitable container/equipment material: Metal. Only use containers specifically approved for the substance/product.

Hints on joint storage

No special measures are necessary.

7.3. Specific end use(s)

Plating agents and metal surface treating agents

SECTION 8: Exposure controls/personal protection**8.1. Control parameters****Exposure limits (EH40)**

CAS No	Substance	ppm	mg/m ³	fibres/ml	Category	Origin
7664-93-9	Sulphuric acid (mist)	-	0.05		TWA (8 h)	WEL

Additional advice on limit values

Does not contain substances above concentration limits fixing an occupational exposure limit.

8.2. Exposure controls**Appropriate engineering controls**

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

Protective and hygiene measures

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme.

Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink. Do not eat, drink, smoke or sneeze at the workplace. Take off immediately all contaminated clothing.

Eye/face protection

Suitable eye protection: goggles. Eye glasses with side protection

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.

Skin protection

Wear suitable protective clothing.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

SECTION 9: Physical and chemical properties**9.1. Information on basic physical and chemical properties**

Physical state: liquid
Colour: red brown, dark brown

Black Ruthenium Bath JE12-1

Revision date: 29.08.2019

Product code: 9707.0000

Page 5 of 9

Odour:	odourless	
pH-Value (at 20 °C):		1,2
Changes in the physical state		
Melting point:		not determined
Initial boiling point and boiling range:		100 °C
Sublimation point:		not determined
Flammability		
Solid:		not applicable
Gas:		not applicable
Explosive properties		
not explosive.		
Lower explosion limits:		
Upper explosion limits:		
Ignition temperature:		not applicable
Auto-ignition temperature		
Solid:		not applicable
Gas:		not applicable
Decomposition temperature:		not determined
Oxidizing properties		
Not oxidising.		
Density (at 20 °C):		1,05 g/cm ³
Water solubility:		completely miscible
Solubility in other solvents		
not determined		
Partition coefficient:		not determined
Vapour density:		not determined
Evaporation rate:		not determined
Solvent content:		not applicable
<u>9.2. Other information</u>		
Solid content:		not determined

SECTION 10: Stability and reactivity**10.1. Reactivity**

Corrosive to metals. Possibility of hazardous reactions.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Exothermic reaction with: Oxidising agent

10.5. Incompatible materials

Metal. Alkalis (alkalis), concentrated.

10.6. Hazardous decomposition products

No known hazardous decomposition products.

SECTION 11: Toxicological information

Black Ruthenium Bath JE12-1

Revision date: 29.08.2019

Product code: 9707.0000

Page 6 of 9

11.1. Information on toxicological effects**Acute toxicity**

Based on available data, the classification criteria are not met.

Irritation and corrosivity

Causes severe skin burns and eye damage.

Causes serious eye damage.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Additional information on tests

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

SECTION 12: Ecological information**12.1. Toxicity**

The product is not: Ecotoxic.

12.2. Persistence and degradability

The ecotoxicological properties of this mixture are determined by the ecotoxicological properties of the single components (see section 3).

12.3. Bioaccumulative potential

not determined

12.4. Mobility in soil

not determined

12.5. Results of PBT and vPvB assessment

The product has not been tested.

12.6. Other adverse effects

No information available.

Further information

Avoid release to the environment.

SECTION 13: Disposal considerations**13.1. Waste treatment methods****Advice on disposal**

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation. Can be reused after processing.

Waste disposal number of waste from residues/unused products

110198 WASTES FROM CHEMICAL SURFACE TREATMENT AND COATING OF METALS AND OTHER MATERIALS; NON-FERROUS HYDRO-METALLURGY; wastes from chemical surface treatment and coating of metals and other materials (for example galvanic processes, zinc coating processes, pickling processes, etching, phosphating, alkaline degreasing, anodising); other wastes containing hazardous substances; hazardous waste

Black Ruthenium Bath JE12-1

Revision date: 29.08.2019

Product code: 9707.0000

Page 7 of 9

Contaminated packaging

Wash with plenty of water. Completely emptied packages can be recycled. Contaminated packages must be completely emptied and can be re-used following proper cleaning.

SECTION 14: Transport information**Land transport (ADR/RID)**

14.1. UN number: UN 2796
14.2. UN proper shipping name: Sulphuric acid
14.3. Transport hazard class(es): 8
14.4. Packing group: II
 Hazard label: 8



Classification code: C1
 Limited quantity: 1 L
 Excepted quantity: E2
 Transport category: 2
 Hazard No: 80
 Tunnel restriction code: E

Inland waterways transport (ADN)

14.1. UN number: UN 2796
14.2. UN proper shipping name: Sulphuric acid
14.3. Transport hazard class(es): 8
14.4. Packing group: II
 Hazard label: 8



Classification code: C1
 Limited quantity: 1 L
 Excepted quantity: E2

Marine transport (IMDG)

14.1. UN number: UN 2796
14.2. UN proper shipping name: Sulphuric acid
14.3. Transport hazard class(es): 8
14.4. Packing group: II
 Hazard label: 8



Special Provisions: -
 Limited quantity: 1 L
 Excepted quantity: E2
 EmS: F-A, S-B

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number: UN 2796

Black Ruthenium Bath JE12-1

Revision date: 29.08.2019

Product code: 9707.0000

Page 8 of 9

14.2. UN proper shipping name: Sulphuric acid**14.3. Transport hazard class(es):** 8**14.4. Packing group:** II

Hazard label: 8



Limited quantity Passenger: 0.5 L

Passenger LQ: Y840

Excepted quantity: E2

IATA-packing instructions - Passenger: 851

IATA-max. quantity - Passenger: 1 L

IATA-packing instructions - Cargo: 855

IATA-max. quantity - Cargo: 30 L

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

14.6. Special precautions for user

Warning: strongly corrosive.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not applicable

SECTION 15: Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****National regulatory information**

Employment restrictions: Observe restrictions to employment for juvenils according to the 'juvenils work protection guideline' (94/33/EC).

Water contaminating class (D): 1 - slightly water contaminating

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information**Changes**

This data sheet contains changes from the previous version in section(s): 2,3,9,10,11,14.

Re. 1.01 Hazardous components new : Sulfuric acid.

Abbreviations and acronymsADR: Accord européen sur le transport des marchandises dangereuses par Route
(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service

LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Black Ruthenium Bath JE12-1

Revision date: 29.08.2019

Product code: 9707.0000

Page 9 of 9

Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008 [CLP]

Classification	Classification procedure
Met. Corr. 1; H290	On basis of test data
Skin Corr. 1; H314	On basis of test data
Eye Dam. 1; H318	On basis of test data

Relevant H and EUH statements (number and full text)

H290	May be corrosive to metals.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.

Further Information

The information is based on present level of our knowledge. It does not, however, give assurances of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations. The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)