according to UK REACH Regulation



## **Rhodium concentrate JE88 CLEAN**

Revision date: 29.07.2020

Product code: 8282

Page 1 of 8

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Rhodium concentrate JE88 CLEAN

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Metal surface treatment products

### 1.3. Details of the supplier of the safety data sheet

Company name:	Jentner Plating Technology GmbH	
Street:	Johann-Staib-Strasse 2	
Place:	D-75179 Pforzheim	
Telephone:	+49 (0)7231 418094 0	Telefax: +49 (0)7231 418094 77
e-mail:	info@jentner.de	
Contact person:	Department of Chemistry	
Internet:	www.jentner.de	
Responsible Department:	Poison Information Center of the University of	of Freiburg.
1.4. Emergency telephone	0049 (0)761 19240 - 24 h german and englis	sh

#### number:

## **Further Information**

BfR Produktnummer: 6265830

## SECTION 2: Hazards identification

## 2.1. Classification of the substance or mixture

#### GB CLP Regulation

Met. Corr. 1; H290 Skin Corr. 1; H314 Eye Dam. 1; H318 Muta. 2; H341

Full text of hazard statements: see SECTION 16.

Danger

#### 2.2. Label elements

## **GB CLP Regulation**

Hazard components for labelling

sulphuric acid 96 % Rhodium (III) Sulfate

Signal word:

Pictograms:



#### **Hazard statements**

H290	May be corrosive to metals.
H314	Causes severe skin burns and eye damage.
H341	Suspected of causing genetic defects.

#### Precautionary statements

P201	Obtain special instructions before use.
P234	Keep only in original packaging.

## according to UK REACH Regulation



## **Rhodium concentrate JE88 CLEAN**

Revision date: 29.07.2020	Product code: 8282	Page 2 of 8
P260	Do not breathe dust/fume/gas/mist/vapours/spray.	
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.	
P301+P330+P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.	
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.	
P363	Wash contaminated clothing before reuse.	
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.	
P310	Immediately call a POISON CENTER/doctor.	
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.	
P310	Immediately call a POISON CENTER/doctor.	
P308+P313	IF exposed or concerned: Get medical advice/attention.	
P390	Absorb spillage to prevent material damage.	
P405	Store locked up.	
P406	Store in a corrosion-resistant container with a resistant inner liner.	

## Labelling of packages where the contents do not exceed 125 ml

Signal word:

**Pictograms:** 

Danger



Hazard statements

H314-H341

### Precautionary statements

P201-P260-P280-P301+P330+P331-P303+P361+P353-P363-P304+P340-P310-P305+P351+P338-P310-P308+P313-P405

## **SECTION 3: Composition/information on ingredients**

## 3.2. Mixtures

### Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (GB CLP Regulation	)		
7664-93-9	sulphuric acid 96 %			max. 15 %
	231-639-5	016-020-00-8		
	Skin Corr. 1A; H314			
10489-46-0	Rhodium (III) Sulfate			4 %
	234-014-5			
	Met. Corr. 1, Muta. 2, Skin Corr. 1E	3, Eye Dam. 1, STOT SE 3; H290 H	I341 H314 H318 H335	

Full text of H and EUH statements: see section 16.

### Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc. Limits, M-factors and ATE		
7664-93-9	231-639-5	sulphuric acid 96 %	max. 15 %
	Skin Corr. 1A; H	H314: >= 15 - 100 Skin Irrit. 2; H315: >= 5 - < 15 Eye Irrit. 2; H319: >= 5 - < 15	

## **SECTION 4: First aid measures**

according to UK REACH Regulation



## **Rhodium concentrate JE88 CLEAN**

Revision date: 29.07.2020

Product code: 8282

Page 3 of 8

### 4.1. Description of first aid measures

## **General information**

Remove contaminated, saturated clothing immediately.

In case of accident or if you feel unwell, seek medical advice immediately (show this label if possible).

#### After contact with skin

Remove mechanically (e.g. dab away using wadding or cellulose material) then thoroughly wash the affected skin with a mild cleansing agent and water. In case of troubles or persistent symptoms, consult an ophthalmologist.

#### After contact with eyes

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

#### After ingestion

Rinse mouth immediately and drink plenty of water. Call a physician immediately.

# 4.2. Most important symptoms and effects, both acute and delayed

Causes severe skin burns and eye damage.

## 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

#### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

#### Suitable extinguishing media

Carbon dioxide (CO2). Foam. Water. Extinguishing powder. Water spray. alcohol resistant foam. Dry extinguishing powder.

#### Unsuitable extinguishing media

High power water jet.

## 5.2. Special hazards arising from the substance or mixture

Thermal decomposition can lead to the escape of irritating gases and vapours.

### 5.3. Advice for firefighters

The product itself does not burn. Co-ordinate fire-fighting measures to the fire surroundings.

### **SECTION 6: Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

#### **General advice**

Keep away from unprotected people. Keep upwind.

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

## 6.3. Methods and material for containment and cleaning up

## Other information

Take up mechanically, placing in appropriate containers for disposal.

## 6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

## **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

according to UK REACH Regulation



## **Rhodium concentrate JE88 CLEAN**

Revision date: 29.07.2020

Product code: 8282

Page 4 of 8

#### Advice on safe handling

Wear suitable protective clothing and eye/face protection. Handle and open container with care.

### Advice on general occupational hygiene

Do not eat, drink, smoke or sneeze at the workplace.

Take off immediately all contaminated clothing.

#### 7.2. Conditions for safe storage, including any incompatibilities

## Requirements for storage rooms and vessels

Only use containers specifically approved for the substance/product.

#### Hints on joint storage

Keep away from food, drink and animal feedingstuffs.

## **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters

### **Exposure limits (EH40)**

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
7664-93-9	Sulphuric acid (mist)	-	0.05		TWA (8 h)	WEL

#### Additional advice on limit values

Does not contain substances above concentration limits fixing an occupational exposure limit.

## 8.2. Exposure controls





## Individual protection measures, such as personal protective equipment

#### Eye/face protection

Tightly sealed safety glasses.

#### Hand protection

The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.

#### Skin protection

Personal protection equipment

## Environmental exposure controls

Do not allow to enter into surface water or drains.

## **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Physical state:	liquid
Colour:	yellow-orange
Odour:	odourless
Changes in the physical state	
Boiling point or initial boiling point and	
boiling range:	
Sublimation point:	

Jentner Plating Technology GmbH

# Safety Data Sheet

according to UK REACH Regulation



### 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

#### 10.3. Possibility of hazardous reactions

No information available.

#### 10.5. Incompatible materials

Alkalis (alkalis), concentrated. Corrosive to metals

## **SECTION 11: Toxicological information**

## 11.1. Information on hazard classes as defined in GB CLP Regulation

#### Toxicocinetics, metabolism and distribution

This mixture does not contain further substances fullfilling the criteria of hazard class "acute toxicity" according to CLP regulation.

## Acute toxicity

Based on available data, the classification criteria are not met.

#### Irritation and corrosivity

Causes severe skin burns and eye damage. Causes serious eye damage.

## Sensitising effects

Based on available data, the classification criteria are not met.

## Carcinogenic/mutagenic/toxic effects for reproduction

Suspected of causing genetic defects. (Rhodium (III) Sulfate) Carcinogenicity: Based on available data, the classification criteria are not met. Reproductive toxicity: Based on available data, the classification criteria are not met.

## STOT-single exposure

Based on available data, the classification criteria are not met.

JENTNE PLATING TECHNOLO

according to UK REACH Regulation



## **Rhodium concentrate JE88 CLEAN**

Revision date: 29.07.2020

Product code: 8282

Page 6 of 8

## STOT-repeated exposure

Based on available data, the classification criteria are not met.

### Aspiration hazard

Based on available data, the classification criteria are not met.

#### **SECTION 12: Ecological information**

#### 12.1. Toxicity

No data available

### 12.2. Persistence and degradability

No data available

## 12.3. Bioaccumulative potential

No data available

## 12.4. Mobility in soil

If product enters soil, it will be mobile and may contaminate groundwater.

## 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

#### 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

## **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

#### **Disposal recommendations**

Can be reused after processing.

## List of Wastes Code - residues/unused products

110112 WASTES FROM CHEMICAL SURFACE TREATMENT AND COATING OF METALS AND OTHER MATERIALS; NON-FERROUS HYDRO-METALLURGY; wastes from chemical surface treatment and coating of metals and other materials (for example galvanic processes, zinc coating processes, pickling processes, etching, phosphating, alkaline degreasing, anodising); aqueous rinsing liquids other than those mentioned in 11 01 11

#### Contaminated packaging

Contaminated packages must be completely emptied and can be re-used following proper cleaning. For cleaning up : Water (with cleaning agent)

## **SECTION 14: Transport information**

Land transport (ADR/RID)	
<u>14.1. UN number or ID number:</u>	UN 3264
14.2. UN proper shipping name:	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (Sulfuric acid, rhodium-III-sulfate)
14.3. Transport hazard class(es):	8
14.4. Packing group:	ll
Hazard label:	8
Classification code:	C1
Special Provisions:	274
Limited quantity:	1 L

according to UK REACH Regulation



	Rhodium concentrate JE88 CLEAN	
Revision date: 29.07.2020	Product code: 8282	Page 7 of 8
Excepted quantity:	E2	
Transport category:	2	
Hazard No:	80 F	
Tunnel restriction code:	E	
Inland waterways transport (ADN)	111 2064	
14.1. UN number or ID number:	UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (Sulfuric acid,	
14.2. UN proper shipping name:	rhodium-III-sulfate)	
14.3. Transport hazard class(es):	8	
14.4. Packing group:		
Hazard label:	8	
Classification code:	C1	
Special Provisions:	274	
Limited quantity:	1 L	
Excepted quantity:	E2	
Marine transport (IMDG)		
<u>14.1. UN number or ID number:</u>	UN 3264	
14.2. UN proper shipping name:	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (Sulfuric acid, rhodium-III-sulfate)	
14.3. Transport hazard class(es):	8	
14.4. Packing group:	II	
Hazard label:	8	
Special Provisions:	274	
Limited quantity:	1 L	
Excepted quantity:	E2	
EmS:	F-A, S-B	
Air transport (ICAO-TI/IATA-DGR)		
14.1. UN number or ID number:		
14.2. UN proper shipping name:	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (Sulfuric acid,	
14.3. Transport hazard class(es):	rhodium-III-sulfate) 8	
14.4. Packing group:	II	
Hazard label:	8	
Special Provisions:	A3 A803	
Limited quantity Passenger:	0.5 L	
Passenger LQ:	Y840	
Excepted quantity:	E2	
IATA-packing instructions - Passenger:	851 1 L	
IATA-max. quantity - Passenger: IATA-packing instructions - Cargo:	855	
IATA-max. quantity - Cargo:	30 L	

## according to UK REACH Regulation



## **Rhodium concentrate JE88 CLEAN** Product code: 8282 Revision date: 29.07.2020 Page 8 of 8 14.5. Environmental hazards ENVIRONMENTALLY HAZARDOUS: No **SECTION 15: Regulatory information** 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture EU regulatory information Restrictions on use (REACH, annex XVII): Entry 3, Entry 75 Information according to 2012/18/EU Not subject to 2012/18/EU (SEVESO III) (SEVESO III): National regulatory information Water hazard class (D): 1 - slightly hazardous to water

## 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

## **SECTION 16: Other information**

#### Classification for mixtures and used evaluation method according to GB CLP Regulation

Classification	Classification procedure
Met. Corr. 1; H290	On basis of test data
Skin Corr. 1; H314	On basis of test data
Eye Dam. 1; H318	Calculation method
Muta. 2; H341	Calculation method

## Relevant H and EUH statements (number and full text)

H290	May be corrosive to metals.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H335	May cause respiratory irritation.
H341	Suspected of causing genetic defects.

#### Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)