

Antitarnish JE799 Oxiprotect Performance

Revision date: 30.06.2020

Product code: 135

Page 1 of 6

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Antitarnish JE799 Oxiprotect Performance

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Metal surface treatment products

1.3. Details of the supplier of the safety data sheet

Company name:	Jentner Plating Technology GmbH	
Street:	Johann-Staib-Strasse 2	
Place:	D-75179 Pforzheim	
Telephone:	+49 (0)7231 418094 0	Telefax: +49 (0)7231 418094 77
e-mail:	info@jentner.de	
Contact person:	Department of Chemistry	
Internet:	www.jentner.de	
Responsible Department:	Poison Information Center of the University of Freiburg.	

1.4. Emergency telephone

0049 (0)761 19240 - 24 h german and english

number:

Further Information

BfR Produktnummer: 6265836

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

Hazard categories:

Skin corrosion/irritation: Skin Irrit. 2

Serious eye damage/eye irritation: Eye Irrit. 2

Respiratory or skin sensitisation: Skin Sens. 1B

Hazard Statements:

Causes skin irritation.

Causes serious eye irritation.

May cause an allergic skin reaction.

2.2. Label elements

Regulation (EC) No. 1272/2008

Hazard components for labelling

Laurylmercaptane

Signal word: Warning

Pictograms:



Hazard statements

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

Precautionary statements

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P272 Contaminated work clothing should not be allowed out of the workplace.

Antitarnish JE799 Oxiprotect Performance

Revision date: 30.06.2020

Product code: 135

Page 2 of 6

P280	Wear protective gloves/protective clothing/eye protection/face protection.
P302+P352	IF ON SKIN: Wash with plenty of water.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P362+P364	Take off contaminated clothing and wash it before reuse.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+P313	If eye irritation persists: Get medical advice/attention.

Special labelling of certain mixtures

EUH066	Repeated exposure may cause skin dryness or cracking.
--------	---

SECTION 3: Composition/information on ingredients**3.2. Mixtures****Hazardous components**

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	GHS Classification			
112-55-0	Laurylmercaptane			1 %
	203-984-1			
	Skin Corr. 1C, Skin Sens. 1B, Aquatic Chronic 2; H314 H317 H411			

Full text of H and EUH statements: see section 16.

SECTION 4: First aid measures**4.1. Description of first aid measures****After inhalation**

Provide fresh air.

After contact with skin

Wash with plenty of water. Remove contaminated, saturated clothing immediately.

After contact with eyes

If product gets into the eye, keep eyelid open and rinse immediately with large quantities of water, for at least 5 minutes. Subsequently consult an ophthalmologist.

After ingestion

Rinse mouth immediately and drink plenty of water. Call a physician in any case!

SECTION 5: Firefighting measures**5.1. Extinguishing media****Suitable extinguishing media**Water mist alcohol resistant foam. Dry extinguishing powder. Carbon dioxide (CO₂)**Unsuitable extinguishing media**

High power water jet. (Strong foaming.)

5.2. Special hazards arising from the substance or mixture

Sulfur oxides.

SECTION 6: Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures**

Wear personal protection equipment.

Antitarnish JE799 Oxiprotect Performance

Revision date: 30.06.2020

Product code: 135

Page 3 of 6

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

Take up mechanically, placing in appropriate containers for disposal.

SECTION 7: Handling and storage**7.1. Precautions for safe handling****Advice on safe handling**

Handle and open container with care.

7.2. Conditions for safe storage, including any incompatibilities**Hints on joint storage**

Keep away from food, drink and animal feedingstuffs.

SECTION 8: Exposure controls/personal protection**8.1. Control parameters****Additional advice on limit values**

To date, no national critical limit values exist.

8.2. Exposure controls**Protective and hygiene measures**

When using do not eat, drink, smoke, sniff.

Eye/face protection

Safety glasses.

Hand protection

Wear suitable gloves.

SECTION 9: Physical and chemical properties**9.1. Information on basic physical and chemical properties**

Physical state:	liquid	
Colour:	whitish ,clear	
Odour:	Hydrogen sulphide (H ₂ S). product-specific	
pH-Value (at 20 °C):		3-4

Changes in the physical state

Melting point:	not determined
Initial boiling point and boiling range:	not determined
Flash point:	not determined

Explosive properties

not explosive.

Oxidizing properties

Not oxidising.

Vapour pressure: not determined

Density: ca. 1,0 g/cm³**Solubility in other solvents**

not determined

Solvent content: not applicable

Antitarnish JE799 Oxiprotect Performance

Revision date: 30.06.2020

Product code: 135

Page 4 of 6

SECTION 10: Stability and reactivity

10.1. Reactivity

not determined

10.3. Possibility of hazardous reactions

not determined

10.5. Incompatible materials

Oxidizing agents, strong.

10.6. Hazardous decomposition products

No decomposition if used as directed.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Irritation and corrosivity

Irritating to eyes and skin.

Specific effects in experiment on an animal

not determined

SECTION 12: Ecological information

12.1. Toxicity

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h] [d]	Species	Source	Method
112-55-0	Laurylmercaptane					
	Acute fish toxicity	LC50 mg/l	>100	96 h	Oncorhynchus mykiss	
	Acute algae toxicity	ErC50 mg/l	0,25	72 h	Pseudokirchneriella subcapitata	
	Acute crustacea toxicity	EC50 mg/l	0,14	48 h	Daphnia	

12.2. Persistence and degradability

not determined

12.3. Bioaccumulative potential

not determined

12.4. Mobility in soil

not determined

Further information

Do not empty into drains; dispose of this material and its container in a safe way.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

According to EAKV, allocation of waste identity numbers/waste descriptions must be carried out in a specific way for every industry and process.

List of Wastes Code - residues/unused products

Antitarnish JE799 Oxiprotect Performance

Revision date: 30.06.2020

Product code: 135

Page 5 of 6

110199 WASTES FROM CHEMICAL SURFACE TREATMENT AND COATING OF METALS AND OTHER MATERIALS; NON-FERROUS HYDRO-METALLURGY; wastes from chemical surface treatment and coating of metals and other materials (for example galvanic processes, zinc coating processes, pickling processes, etching, phosphating, alkaline degreasing, anodising); wastes not otherwise specified

Contaminated packaging

Non-contaminated packages may be recycled.

Packing which cannot be properly cleaned must be disposed of.

SECTION 14: Transport information**Land transport (ADR/RID)**

14.2. UN proper shipping name: No dangerous good in sense of these transport regulations.

Inland waterways transport (ADN)

14.2. UN proper shipping name: No dangerous good in sense of these transport regulations.

Marine transport (IMDG)

14.2. UN proper shipping name: No dangerous good in sense of these transport regulations.

Air transport (ICAO-TI/IATA-DGR)

14.2. UN proper shipping name: Not a hazardous material with respect to these transportation regulations.

SECTION 15: Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****National regulatory information**

Water hazard class (D): 1 - slightly hazardous to water

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information**Changes**

This data sheet contains changes from the previous version in section(s): 2.

Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008 [CLP]

Classification	Classification procedure
Skin Irrit. 2; H315	Calculation method
Eye Irrit. 2; H319	Calculation method
Skin Sens. 1B; H317	Calculation method

Relevant H and EUH statements (number and full text)

H314 Causes severe skin burns and eye damage.
 H315 Causes skin irritation.
 H317 May cause an allergic skin reaction.
 H319 Causes serious eye irritation.
 H411 Toxic to aquatic life with long lasting effects.
 EUH066 Repeated exposure may cause skin dryness or cracking.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations. The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing,

Antitarnish JE799 Oxiprotect Performance

Revision date: 30.06.2020

Product code: 135

Page 6 of 6

transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)