

Rhodium Bath JE88-1

Revision date: 11.07.2019

Product code: 8828

Page 1 of 9

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Rhodium Bath JE88-1

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Plating agents and metal surface treating agents

1.3. Details of the supplier of the safety data sheet

Company name:	Jentner Plating Technology GmbH	
Street:	Johann-Staib-Strasse 2	
Place:	D-75179 Pforzheim	
Telephone: e-mail:	+49 (0)7231 418094 0 info@jentner.de	Telefax: +49 (0)7231 418094 77
Contact person: Internet:	Department of Chemistry www.jentner.de	
Responsible Department:	Poison Information Center of the Univ	versity of Freiburg.
1.4. Emergency telephone	0049 (0)761 19240 - 24 h german an	d english
un come la com		

number:

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

Hazard categories: Substance or mixture corrosive to metals: Met. Corr. 1 Skin corrosion/irritation: Skin Corr. 1 Serious eye damage/eye irritation: Eye Dam. 1 Hazard Statements: May be corrosive to metals. Causes severe skin burns and eye damage. Causes serious eye damage.

2.2. Label elements

Regulation (EC) No. 1272/2008

Hazard components for labelling sulphuric acid 96 %

Ciamal words

Signal word: Pictograms:

Danger



Hazard statements

H290	
H314	

May be corrosive to metals. Causes severe skin burns and eye damage.

Precautionary statements

P234	Keep only in original packaging.
P260	Do not breathe dust/fume/gas/mist/vapours/spray.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P301+P330+P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water



according to Regulation (EC) No 1907/2006

Rhodium Bath JE88-1			
Revision date: 11.07.2019	Product code: 8828	Page 2 of 9	
	or shower.		
P363	Wash contaminated clothing before reuse.		
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.		
P310	Immediately call a POISON CENTER/doctor.		
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.		
P310	Immediately call a POISON CENTER/doctor.		
P390	Absorb spillage to prevent material damage.		
P405	Store locked up.		
P406	Store in a corrosion-resistant container with a resistant inner liner.		

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

CAS No Chemical name				Quantity	
	EC No	Index No	I	REACH No	
	GHS Classification	•			
7664-93-9	sulphuric acid 96 %				max. 3 %
	231-639-5	016-020-00-8			
	Skin Corr. 1A; H314				
10489-46-0	Rhodium (III) Sulfate				0,2 %
	234-014-5				
	Met. Corr. 1, Muta. 2, Skin Corr. 1E	3, Eye Dam. 1, STOT SE 3; ⊦	1290 H34	1 H314 H318 H335	

Full text of H and EUH statements: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

First aider: Pay attention to self-protection! Remove affected person from the danger area and lay down. Remove contaminated, saturated clothing immediately.

In case of accident or if you feel unwell, seek medical advice immediately (show this label if possible).

After contact with skin

Take off immediately all contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention. Remove mechanically (e.g. dab away using wadding or cellulose material) then thoroughly wash the affected skin with a mild cleansing agent and water.

After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

After ingestion

Do NOT induce vomiting. Adverse human health effects and symptoms: Gastric perforation. Call a physician immediately. Do not allow a neutralisation agent to be drunk. Rinse mouth immediately and drink plenty of water. Call a physician in any case!

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed



Rhodium Bath JE88-1 Product code: 8828

Revision date: 11.07.2019

Page 3 of 9

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings. Extinguishing powder. Water spray. Carbon dioxide (CO2).

5.2. Special hazards arising from the substance or mixture

Non-flammable.

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit. Co-ordinate fire-fighting measures to the fire surroundings. The product itself does not burn.

Additional information

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment. Wear personal protection equipment.

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal. Take up mechanically, placing in appropriate containers for disposal.

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray. Handle and open container with care.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed. Keep locked up. Store in a place accessible by authorized persons only. Provide adequate ventilation as well as local exhaustion at critical locations. Unsuitable container/equipment material: Metal. Only use containers specifically approved for the substance/product.

Hints on joint storage

No special measures are necessary.

7.3. Specific end use(s)

Plating agents and metal surface treating agents

SECTION 8: Exposure controls/personal protection



according to Regulation (EC) No 1907/2006

	Rhodium Bath JE88-1	
Revision date: 11.07.2019	Product code: 8828	Page 4 of 9

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
7664-93-9	Sulphuric acid (mist)	-	0.05		TWA (8 h)	WEL

Additional advice on limit values

Does not contain substances above concentration limits fixing an occupational exposure limit.

8.2. Exposure controls





Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

Protective and hygiene measures

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink. Do not eat, drink, smoke or sneeze at the workplace.

Take off immediately all contaminated clothing.

Eye/face protection

Suitable eye protection: goggles.

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.

Skin protection

Wear suitable protective clothing.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

. I. Information on pasic physical and ci	iennical properties		
Physical state:	liquid		
Colour:	yellow-orange		
Odour:	none		
			Test method
pH-Value (at 20 °C):		< 1	DIN 19268
Changes in the physical state			
Melting point:		not determined	
Initial boiling point and boiling range:		ca. 100 °C	
Sublimation point:		not determined	
Flash point:		not determined	



9

	Rhodium Bath JE88-1	
Revision date: 11.07.2019	Product code: 8828	Page 5 of 9
Flammability		
Solid:	not applicable	
Gas:	not applicable	
Explosive properties not explosive.		
Lower explosion limits:	not determined	
Upper explosion limits:	not determined	
Auto-ignition temperature		
Solid:	not applicable	
Gas:	not applicable	
Decomposition temperature:	not determined	
Oxidizing properties Not oxidising.		
Vapour pressure:	not determined	
Density (at 20 °C):	1,04 g/cm³	
Bulk density:	not determined	
Water solubility:	very soluble	
Solubility in other solvents not determined		
Partition coefficient:	not determined	
Viscosity / dynamic:	not determined	
Flow time:	not determined	
Vapour density:	not determined	
Evaporation rate:	not determined	
Solvent separation test:	not applicable	
2. Other information		
Solid content:	not determined	

SECTION 10: Stability and reactivity

10.1. Reactivity

Corrosive to metals. Possibility of hazardous reactions.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Exothermic reaction with: Base0 Peroxides0 Oxidising agent.

10.4. Conditions to avoid

Corrosive to metals

10.5. Incompatible materials

Metal. Keep away from: Alkalis (alkalis), concentrated.

10.6. Hazardous decomposition products

No known hazardous decomposition products.

SECTION 11: Toxicological information

11.1. Information on toxicological effects



Rhodium Bath JE88-1

Revision date: 11.07.2019

Product code: 8828

Page 6 of 9

Acute toxicity

Based on available data, the classification criteria are not met.

Irritation and corrosivity

Causes severe skin burns and eye damage. Causes serious eye damage.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Additional information on tests

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

SECTION 12: Ecological information

12.1. Toxicity

Preparation not tested.

Toxicological data are not available.

12.2. Persistence and degradability

not determined

12.3. Bioaccumulative potential

No information available.

12.4. Mobility in soil

No information available.

12.5. Results of PBT and vPvB assessment

The product has not been tested.

12.6. Other adverse effects

No information available.

Further information

Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Advice on disposal

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

Waste disposal number of waste from residues/unused products

110112 WASTES FROM CHEMICAL SURFACE TREATMENT AND COATING OF METALS AND OTHER MATERIALS; NON-FERROUS HYDRO-METALLURGY; wastes from chemical surface treatment and coating of metals and other materials (for example galvanic processes, zinc coating processes, pickling processes, etching, phosphating, alkaline degreasing, anodising); aqueous rinsing liquids other than those mentioned in 11 01 11

Contaminated packaging

Wash with plenty of water. Completely emptied packages can be recycled. Contaminated packages must be completely emptied and can be re-used following proper cleaning.

according to Regulation (EC) No 1907/2006



Page 7 of 9

	Rhodium Bath JE88-1
Revision date: 11.07.2019	Product code: 8828
SECTION 14: Transport information	
Land transport (ADR/RID)	
14.1. UN number:	UN 3264
14.2. UN proper shipping name:	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (Sulfuric acid, rhodium-III-sulfate)
14.3. Transport hazard class(es):	8
14.4. Packing group:	III
Hazard label:	8
Classification code:	C1
Special Provisions:	274
Limited quantity:	5 L
Excepted quantity:	E1
Transport category:	3
Hazard No: Tunnel restriction code:	80 E
	L
Inland waterways transport (ADN)	UN 3264
14.1. UN number:	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (Sulfuric acid,
14.2. UN proper shipping name:	rhodium-III-sulfate)
14.3. Transport hazard class(es):	8
14.4. Packing group:	III
Hazard label:	8
Classification code:	C1
Special Provisions:	274
Limited quantity:	5 L
Excepted quantity:	E1
Marine transport (IMDG)	
<u>14.1. UN number:</u>	
14.2. UN proper shipping name:	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (Sulfuric acid, rhodium-III-sulfate)
14.3. Transport hazard class(es):	8
14.4. Packing group:	III
Hazard label:	8
Special Provisions:	223, 274
Limited quantity:	5 L
Excepted quantity:	E1
EmS:	F-A, S-B

according to Regulation (EC) No 1907/2006



Revision date: 11.07.2019	Rhodium Bath JE88-1 Product code: 8828	Page 8 of 9
Air transport (ICAO-TI/IATA-DGR)		
14.1. UN number:	UN 3264	
14.2. UN proper shipping name:	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (Sulfuric acid, rhodium-III-sulfate)	
14.3. Transport hazard class(es):	8	
14.4. Packing group:	III	
Hazard label:	8	
Special Provisions:	A3 A803	
Limited quantity Passenger:	1 L	
Passenger LQ:	Y841	
Excepted quantity:	E1	
IATA-packing instructions - Passenger:	852	
IATA-max. quantity - Passenger:	5 L	
IATA-packing instructions - Cargo:	856	
IATA-max. quantity - Cargo:	60 L	
14.5. Environmental hazards		
ENVIRONMENTALLY HAZARDOUS:	no	
14.6. Special precautions for user Warning : strongly corrosive.		
14.7. Transport in bulk according to Annex not applicable	II of Marpol and the IBC Code	
SECTION 15: Regulatory information		
15.1. Safety, health and environmental regu	lations/legislation specific for the substance or mixture	
EU regulatory information		
Information according to 2012/18/EU (SEVESO III):	Not subject to 2012/18/EU (SEVESO III)	
National regulatory information		
Employment restrictions:	Observe restrictions to employment for juvenils according to the 'juvenil work protection guideline' (94/33/EC).	e
Water contaminating class (D):	1 - slightly water contaminating	
15.2. Chemical safety assessment Chemical safety assessments for subs	stances in this mixture were not carried out.	
SECTION 16: Other information		

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service



according to Regulation (EC) No 1907/2006

Rhodium Bath JE88-1

Revision date: 11.07.2019

Product code: 8828

Page 9 of 9

LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008 [CLP]

Classification	Classification procedure
Met. Corr. 1; H290	On basis of test data
Skin Corr. 1; H314	On basis of test data
Eye Dam. 1; H318	On basis of test data

Relevant H and EUH statements (number and full text)

	· · · · · · · · · · · · · · · · · · ·
H290	May be corrosive to metals.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H335	May cause respiratory irritation.
H341	Suspected of causing genetic defects.

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)